


NOTICE OF PROPRIETARY RIGHTS THIS DOCUMENT CONTAINS CONFIDENTIAL TECHNICAL DATA, INCLUDING TRADE SECRETS, PROPRIETARY TO TIMES MICROWAVE SYSTEMS. DISCLOSURE OF THIS DATA IS EXPRESSLY CONDITIONED UPON YOUR ASSENT THAT ITS USE IS LIMITED TO USE WITHIN YOUR COMPANY ONLY. ANY OTHER USE IS STRICTLY PROHIBITED WITHOUT THE PRIOR WRITTEN CONSENT OF TIMES MICROWAVE SYSTEMS.

SYM	REVISION DESCRIPTION	DFTM	DATE	APPD	DATE
-	RELEASED FOR PRODUCTION	J. C. L	6/30/99	J. C. L	6/30/99
A	UPDATED DRAWING TO HEX	J. C. L	7/29/01	J. C. L	7/29/01
B	CHANGED PER CDC #46101	N. N. N	2/2/17	J. D. B	2/8/17



NOTES:

1. ASSEMBLED CONNECTOR INTERFACE IS DESIGNED IN ACCORDANCE WITH MIL-STD-348.
2. MATERIAL: BODY - BRASS PER ASTM B16
 CONTACT - BRASS PER ASTM B16.
 GASKET - SILICONE RUBBER PER ZZ-R-765
 INSULATOR - TEFLON PER ASTM D1710
 CRIMP SLEEVE - D.H.P. COPPER CDA ALLOY 122
 SHRINK SLEEVE - SHRINKABLE POLYOLEFIN PER MIL-I-23053/5
3. FINISHES: CONTACT - GOLD PLATE PER MIL-G-45204 (50 MICRO OVER 100 COPPER)
 ALL OTHER METAL PARTS - SILVER PLATE PER QQ-S-365
4. CRIMP SLEEVE TO .213 HEX.

MATERIAL:	UNLESS OTHERWISE SPECIFIED		DFTM. J. C. L	TIMES MICROWAVE SYSTEMS	
	ALL DIMENSIONS ARE IN mm MACHINED SURFACES FINISH N/A RMS MAX. REMOVE ALL BURRS 0.15 MAX. BREAK MACHINE CORNERS 0.15 MAX. FILLET R. TOLERANCES ON DECIMALS .X ± 0.2 .XX ± 0.1 ANGLES ± 3° FRACTIONS ± N/A		DATE 6/30/99		
USED ON: A	DO NOT SCALE DRAWING		CHKD. J. C. L	TC-205T-TMH-RA-LW TNC MALE FOR SFT205 CABLE SOLDER/SOLDER	
			DATE 6/30/99		
SCALE: N/A	DWG. SIZE A	CODE IDENT 68999	APPD. J. C. L	DATE 6/30/99	SHEET 1 of 1
				DATE 6/30/99	REV. B